



Shared Information and Virtual Surfaces

Stephen C. Hayne
Cap Smith
Leo Vijayasarathy

Colorado State University Computer Information Systems

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Information	regarding this burden estimate or mation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	nis collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE JAN 2004	2. REPORT TYPE			3. DATES COVERED 00-00-2004 to 00-00-2004		
4. TITLE AND SUBTITLE	5a. CONTRACT NUMBER					
Shared Infromatio	5b. GRANT NUMBER					
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Colorado State University, Computer Information Systems, Fort Collins, CO,80523				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited						
	OTES Knowledge Manage deral Rights Licenso		shop, 13-15 Jan 2	2004, San Die	ego, CA. U.S.	
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF	18. NUMBER	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 37	RESPONSIBLE PERSON	

Report Documentation Page

Form Approved OMB No. 0704-0188





Long Term Goals

• Investigate performance of self-synchronizing teams

 Understand how teams collaborate on a shared surface in situations characterized by high stakes, uncertainty and time pressure





STRUCTURAL MODEL OF TEAM COLLABORATION (MACRO-COGNITIVE PROCESS FOCUS)

Problem Area Characteristics

Collaborative Situation Parameters:

• time pressure

- Information/knowledge
- dynamic information
- large amount of knowledge (cognitive overload)
- human-agent interface complexity

Team Types

- asynchronous
- distributed
- culturally diverse
- heterogeneous knowledge
- unique roles
- command structure (hierarchical vs. flat)
- rotating team members

Operational Tasks

• team decision making, COA selection

- develop shared understanding
- intelligence analysis (team data processing)

Collaboration Stages & Cognitive Processes

Knowledge Construction

Collaborative
Team Problem
Solving

<u>Team</u> Consensus

solution

Outcome
Evaluation
and Revision

Achieve Goal

Collaboration Complete

† Yes

Meta-Cognitive:

- individual conversion of data to knowledge
- **Macro-Cognitive:**
- individual mental model
- knowledge interoperability development
- individual task, team and domain knowledge development
- individual knowledge object development
- individual visualization and representation of meaning

- knowledge interoperability development
- iterative information collection and analysis

• team integration of individual

knowledge for common understanding

- team shared understanding development
- develop, rationalize, & visualize solution alternatives
- convergence of individual mental models to team mental model
- individual task, team and domain knowledge development
- developing new knowledge
- team agreement on situation

• team negotiation of solution alternatives

team agreement on a common

- team pattern recognition
- team shared understanding development
- convergence of individual mental models
- critical thinking
- sharing hidden knowledge
- individual task knowledge development (continued)
- team task knowledge development (continued)

- solution adjustment to fit goals and exit criteria
- compare problem solutionagainst goals
- team shared understanding development
- convergence of individual mental models of solution
- analyze, revise output

Mechanisms for achieving Meta, Macro, and Micro-Cognitive Processes (applies to all stages)


- <u>Verbal communications</u>: presenting and discussing individual information, discussing team generated information. questioning, agreeing / disagreeing, negotiating perspectives, discussing possible solutions, providing rationale.
- <u>Non-Verbal communications</u>: facial expressions, voice clues (vocal paralanguage), hand gestures, body movements (kinesics), touch (haptics), personal space, drawing, text messages, augmented video, affordances (cognition in objects).

© Hayne, Smith, and Vijayasarathy, 2004





Research Model



Team Recognition Primed Decision Making





Project Objective

• Validate Model:

Team Recognition Primed Decision-Making

- Empirical investigation for validity of:
 - Pattern Sharing of Cognitive Chunks
 - Negotiated Interrupts (Push/Pull)





Current Research Plan

- Extend Model
 - -Items Sharing vs. Chunks Sharing
 - -Time Pressure
 - -COA selection (bumping)
 - -Incorporate Template Theory



Fernand Gobet and Herb Simon

- Experienced people create complex structures called "templates"
- Templates have a core and slots and linkages to other templates which facilitates fast access to long term memory
- Templates can store at least 10 items and are often labeled





Chess Template

a)

Template-core:

White &c4, &d5, &e4, &f2, &g2, &g1, &c3, &e2
Black &c7, &d6, &e5, &f7, &g6, &h7, &g8, &c8, &f6, &g7

Slot for pieces:

Slot for squares:

d2: ②, 兔, empty e8: 罩, ▲, empty e1: 罩, ②, empty

Slot for opening: King's Indian Defense

Slot for plans: Break in the center with f7-f5

Slot for moves: 1... Nf6-e8

1... Nf6-h5

Links to other templates: chunk #231





FY '03 Research Plan

- Explore sharing of pattern chunks
 - Labels
 - Templates (core and slots)
- Rewards for speed and accuracy
- Explore implication of bumping on *slot* information





Hypotheses

- Teams using a compensatory aid for patternrecognition tasks will outperform teams who do not.
- Teams sharing *chunk/template labels* for pattern-recognition tasks will outperform teams who share individual items.
- Teams using negotiated interrupts with each other for pattern-recognition tasks will outperform teams who do not.





FY '03 Progress

- Data Collected and Analysis Performed:
 - Chunking (39 subjects)
 - Chunking Time Pressure (36 subjects)
 - No Sharing Time Pressure (36 subjects)
 - No Sharing/Bumping Time Pressure (45 subjects)
 - Continuous performance task "pilot" (21 subjects)
- International Journal of Human Computer Studies
 - first article from last year's results accepted.
- ICIS Cognitive Workshop, DSS2004 Conference
- OBHDP (submitted)
- ACM Transactions on CHI (close draft)






Decision Game

- Cooperative 3-Player Game
- Each player has 7 Tokens (numbered 1-7)
- Opponent has asymmetric force
 - Patterns: Definitive, Equivocal, Uncertain
- Team places tokens so total >= opponent
- Incentive
 - For total points
 - For time of play
- Play is interactive





Patterns




Chunk Labels





Our Patterns as Templates






Need video!!!




Pattern Chunks






Chunking Treatments - Performance






Sharing Correctness and Performance








Player Type and Sharing







Player Type and Correct Sharing




Correlation between Sharing Correctness and Good Moves = 0.25 (p < 0.05)





Move Time (Seconds)




Time pressure when moving...






Bumping and Performance






Player Type and Number of Bumps






Player Type and Number of Good Bumps







Core vs. Slot








Conclusions

- Team Recognition Primed Decision Making Model Continues to be Validated
- Sharing of Pattern Chunks Improves Performance
 - -Cognitive Alignment
 - —Ultra Thin tool
- Support for Gobet/Simon Template Model...
 - -knowledge exchange (bump) on *slot* data!!!





Research Model



Team Recognition Primed Decision Making





Transitions to Navy Tasks

Principles

- Provide Pattern-Sharing Tool for SA Task
- Provide Stimulating Structure Tool for Action Task
- Transform Effortful Cognitive Tasks into Simple Perceptual Tasks





FY 2004 Plans and Onward

- Change task domain (increase complexity)
- Operational Task (continuous performance)
 - Continue to core/slot concept
 - Manipulate the ability of team members to "push" or "pull" pattern information from their teammates (negotiated interrupts)
 - -Manipulate team roles (peer, hierarchical, etc.)



NEO – when the plan breaks...

- Personnel Selection completed
- Training completed
- Planning completed
- Operation underway
 - -Contingency theory about sharing core/slot data
 - Prescriptions for user interfaces
 - -Empirical testing with the "hairy water buffalo"





Operational Task Research Design

- Team Warship Commander Task
 - 3 person teams
 - Zones of influence
- Comparison:
 - Message-based tool vs. Perceptual Push Tool
- Common briefing for Core Data items
 - E.g., red symbols are hostile, blue are friendly
- Private briefing for Slot Data items
 - E.g., anything with a dot in the middle is hostile






Research Design (cont.)

- Within Subjects, treatment counterbalanced
- Rewards for performance
- Independent Variables
 - Count of Type 1 and Type 2 errors
 - Count of Core Data shared
 - Count of Slot Data shared





Team Warship Commander







Team Warship Commander

Screen Video

Team Member Video



Operational Task Research Hypotheses

- H1: A Pattern-Sharing Tool is useful in Situation Assessment Phase to achieve consensus about Core Data
- H2: A Stimulating Structure is useful in Action Phase to reveal local expertise about Slot Data
- H3: Stasser's findings re sharing of common vs. private data reflect Core vs. Slot Data during Situation Assessment Phase





Pilot Study Results

- Teams unable to attend to both tasks
- Some teams attempt to share slot data
- Teams unable to hold knowledge in short term memory
 - Large numbers of "type 2" errors





Chat Transcripts...

00:00:12 1- yellow w hat inside bad

00:00:46 2- honeycomb with plus bad

00:01:27 3- what colors??

00:01:43 1- square w plus bad

00:01:51 3- colors

00:02:01 1- orange square w plus

00:02:41 2- yellow honeycomb with plus bad

00:02:50 2- purple rectangle with dot bad

00:03:00 2- purple triangle bad

00:03:16 3- square or rectangle with plus bad?

00:03:40 1- hat inside yello dome bad

00:04:43 3- diamond with hat inside green bad

00:04:59 3- clover with dot inside green bad

00:05:45 3- clover with hat inside purple bad

00:06:31 3- on purple triangle bad what is inside it

and do you mean diamond?

00:07:04 2- purple diamond with anvil inside

00:08:47 1- yellow hat in yello dome bad

00:10:11 3- refresh on orange bad?

00:10:14 3- details again

00:10:19 3- color and shape and whats unside

00:10:27 1- orange dimaond w plus bad

00:00:39 3- purple rounded-clover shape with squarish black

center is hostile

00:01:40 2-

00:01:45 3- green 4-point diamond is hostile

00:02:33 3- green rounded-corner cloverleaf with dot is

hostile

00:04:49 3- can anyone see what i'm typing???

00:05:06 1- ywa

00:05:07 1- yes

00:05:16 1- too busy

00:06:17 1- watch to see who bnlows up who in yellow

00:07:18 2- purple rectangle w black dot is bad

00:10:29 2- yellow clover w cross is bad

00:10:31 1- diamond yellow with plus = hostile

00:10:48 3- good good info is good

00:11:02 3- it's easier for me to watch my own sector with

more info

00:11:07 1- all you need to do is see who blows up who in

yellow!!





Questions?